曹县九思木制品有限公司
CAO COUNTY JIUSI WOODS CO.,LTD
Add: Taoyuanji Town, Cao County,Heze City,Shandong Province, China

Wall Panel

Product Name	T&G Wood Wall Panel
Wood Material	Paulownia,Pine,Cedar, Hinoki, Larch, MDF, Plywood,etc
Color and Finish	Natural Wood Color or Brushed or Varnish Coated or Waxed or Dyed or Carbonized,or Veneered,etc.
Shape	Tongue and Grooved. OEM is accepted
Surface	Sanded and Polished
Size	Common Length :2400/2440/2700/3000mm Common Width: 100mm, 125mm,140mm,150MM Common Thickness: 12/15/18/20mm Dimensions could be produced as customized.
Grade Level	AA,AB,BB,etc
Application	House Decoration, Wall Building,etc








曹县九思木制品有限公司
CAO COUNTY JIUSI WOODS CO.,LTD
Add: Taoyuanji Town, Cao County,Heze City,Shandong Province, China

Application

Wood wall panels offer aesthetic and functional benefits, being used for decoration, sound insulation, and covering imperfections, and they can be applied in various spaces like living rooms, bedrooms, and even bathrooms and kitchens,which makes the walls look rich and elegant.

Aesthetic Enhancement: Wood wall panels are used to add character, warmth, and texture to rooms, creating focal points or accent walls.

Sound Insulation: Wood panels can absorb sound, reducing echoes and improving acoustics.

Insulation: Wood acts as a natural insulator, helping to regulate temperature and potentially reducing energy costs.

Concealing Irregularities: Wall panels are effective at hiding imperfections, such as uneven surfaces, stains or cracks

Function and Protection: Wood panels can protect walls from wear and tear, providing an additional layer of durability.

Modern Designs: Wood lath panels are a popular choice for modern interiors, often used as a simple yet effective decorative element

Creating a Coziness: They can be used to define cozy nooks or reading corners

Advantages

Durability: Wood panels can be long-lasting and can withstand the test of time.

Sustainability: Choosing responsibly sourced wood panels can be an eco-friendly choice.


Ease of Installation and Maintenance: Many panels are designed for easy installation, with some featuring interlocking systems or direct mounting on existing walls.

Budget-Friendly Luxury: Wood panels can add elegance to interiors without breaking the bank.

Versatility: It can be used in a variety of spaces, from living rooms and bedrooms to even kitchens and bathrooms (with proper ventilation).

Soundproofing and Insulation: They can help with both sound insulation, reducing noise and enhancing privacy, and thermal insulation, helping to regulate temperature and potentially saving energy costs.

Aesthetic Value: They add warmth, texture, and sophistication to a space, enhancing its overall look and feel.





曹县九思木制品有限公司


CAO COUNTY JIUSI WOODS CO.,LTD
Add: Taoyuanji Town, Cao County,Heze City,Shandong Province, China

Product Name	Acoustic Wall Panel
Wood Material	Wood Parts: MDF or Solid Wood like paulownia, pine,oak,walnut,etc
Base Felt	100% Polyester Fiber Type: Rollable and Non-rollable
Color and Finish	Natural Wood Color or Brushed or Varnish Coated or Dyed or Carbonized,etc Melamine paper faced or Solid wood veneered or Engineered Veneered, PET or HPL veneered or PVC film faced,etc
Shape	Slatted or Hexagonal or multi-modal or customized.
Feature	Eco-friendly, Non-toxic,Sound Insulation, Scratch-resistant,Heat Insulation, Easy to Clean,Easy to install,Moisture-resistant,Long service Life. Sustainable.
Size	2440/2700/3050*605*21mm, 755x620x22mm,etc All could be produced as customized.
Grade Level	AA,AB,BB,etc
Application	Hotel, Conference halls, Recording rooms,Studios, Residences, Shopping malls, Schools, Office, etc.

Various Shape Designs for the choices

1, Slatted Panel


曹县九思木制品有限公司

CAO COUNTY JIUSI WOODS CO.,LTD

Add: Taoyuanji Town, Cao County,Heze City,Shandong Province, China











Standard Size and Mold





曹县九思木制品有限公司
CAO COUNTY JIUSI WOODS CO.,LTD
Add: Taoyuanji Town, Cao County,Heze City,Shandong Province, China

2, Hexagonal Panel: **Standard Size:**755x620x22mm



3, More Styles



曹县九思木制品有限公司

CAO COUNTY JIUSI WOODS CO.,LTD


Add: Taoyuanji Town, Cao County,Heze City,Shandong Province, China



Two Types of Veneer facing



Color Of MDF




Characteristics

Sound insulation performance



Frequency (Hz)	100	125	200	250	500	800	1000	1250	2000	2500	3150	4000
Sound absorption coefficient(α)	0.20	0.17	0.29	0.40	0.84	0.99	0.92	0.72	0.72	0.72	0.80	0.78



曹县九思木制品有限公司

CAO COUNTY JIUSI WOODS CO.,LTD

Add: Taoyuanji Town, Cao County,Heze City,Shandong Province, China




Arbitrary Cutting




Easy To Clean

Application Scene


Living Room


Gaming Room




Office


Recording Studio



